

GROVE GEAR

Gear Reducers, Integral
Gearmotors and Gear+Motors



A Regal Brand

REGAL

A Multitude of Applications



Chemicals



Processing



Meat

GR Series Worm Gear Reducers



- Fourteen sizes available with ratings to 104 HP.
- Available in single, double and triple reduction with ratios from 5:1 to 216,000:1. Helical worm ratios from 25:1 to 600:1.
- Premium Viton® double-lip seals throughout provide long life and resistance to high temperatures, abrasion and chemicals.
- Factory-filled with premium Mobil Glygoyle 460 polyalkalene glycol lubricant.
- O-rings on input and output covers eliminate gaskets, sealants and leaks.
- Output shaft key provided.
- Available pre-assembled with LEESON motors for the perfect GEAR+MOTOR™ package.
- Mounting dimensions are interchangeable with most major brands.
- NH Series features a compact housing design to fit in reduced space allocations.

EL Series Worm Gear Reducers



- Ten sizes available to 29 HP.
- Available in single, double and triple reduction with ratios from 5:1 to 216,000:1.
- Clean, polished and paint-free finish.
- Lightweight alternative to cast iron.
- Available pre-assembled with LEESON motors for the perfect GEAR+MOTOR™ package.
- Lower cost alternative to stainless steel.
- Superior corrosion resistance to painted cast iron.
- Stainless steel shafts and hardware available.
- Factory filled with premium Mobil Glygoyle 460 polyalkalene glycol lubricant.
- Viton® double-lip seals.

SS Series Worm Gear Reducers



- Six sizes available with ratings to 10 HP.
- Available in single, double and triple reduction with ratios from 5:1 to 216,000:1.
- 316 stainless steel housing and covers.
- 303 stainless steel output shaft.
- Available pre-assembled with LEESON motors for the perfect GEAR+MOTOR™ package.
- Viton® double-lip seals.
- Factory filled with premium Mobil Glygoyle 460 polyalkalene glycol lubricant – meets USDA Class H1 standards.
- Worms are cut, heat-treated, ground and polished to provide efficient, quiet operation.

Interchangeability

Replace all major brands

Quality

Superior Design and Precision Manufacturing

Reliability

Trust your partners with over 10,000,000 gear reducers installed worldwide.



Car Wash

Food Processing

Conveyors

Specialty Lifts

Communication

E Series High Efficiency Reducers



- Four sizes available with ratings to 27 HP.
- Available in single, double and triple reduction with ratios from 7.8:1 to 59:1.
- 60% more torque than a typical worm gear reducer.
- Opportunity to downsize motor and gear reducer.
- Four models replace 10 typical worm gear reducer center distances.
- Plug-in shafts and mounting accessories create hundreds of style combinations.
- 90% operating efficiency.
- Rapid payback through energy cost savings.
- Mounting dimensions are interchangeable with most major brands.

High Efficiency Reducers



- Nine sizes of inline reducers with ratios from 2.2 to 3700:1.
- Six sizes of helical-bevel reducers with ratios from 6.2 to 3400:1.
- Four sizes of helical-worm reducers with ratios from 7:1 to 3400:1 and ratings to 17 HP.
- The IRONMAN High Efficiency products have a modular design.
- Four sizes of parallel shaft drives with ratios from 3.42 to 3333:1 and ratings to over 20 HP.
- Available with premium stainless steel housing and features.
- IRONMAN reducers are available with LEESON motors pre-assembled for the perfect performance-matched solution.
- Ironman High Efficiency reducers are dimensionally interchangeable to major worldwide brands.

Ratio Multipliers



- Three sizes available in cast iron with ratings to 20 HP and ratios from 2:1 to 7.5:1.
- Two sizes available in aluminum with ratings to 6 HP and ratios from 2:1 to 7.2:1.
- One size available in stainless steel with ratings to 4.7 HP and ratios from 2:1 to 7.5:1.
- All ratio multipliers feature helical gearing to optimize system efficiency.
- Dual purpose design can be used as a stand-alone single reduction inline reducer or as a bolt-on to the input of any c-faced gear reducer to multiply overall reduction ratio.



Solar Power

Dairy

Medical

Bottling

Bravo® and LeCentric™ Aluminum Gear Reducers




- Bravo® worm reducers available in five sizes with ratings to 7.5 HP and in ratios from 7:1 to 70:1.
- LeCentric™ inline reducers available in four sizes with ratings to 15 HP and in ratios from 3.5:1 to 280:1.
- Fit into small spaces. Up to one third smaller than other brands.
- Sealed for life, never change or add oil.
- Lightweight OEM design suitable for mobile equipment and difficult installations.
- Mounting dimensions are interchangeable with most major worldwide brands.

WASHGUARD® Gear Reducers



- Fourteen sizes available in single, double and triple reduction with ratios from 5:1 to 216,000:1. Helical worm ratios from 25:1 to 600:1.
- Helical-Inline, Helical-Worm, Helical-Bevel and Parallel Shaft Drives available.
- Factory-filled with premium Mobil Glygoyle 460 polyalkalene glycol lubricant – meets USDA Class H1 standards.
- Viton® double-lip seals.
- Patented Forsheda V-ring on output shaft provides extra protection from contaminants.
- O-ring on “flat-faced” input flange provides a positive seal against moisture intrusion.
- Food grade white epoxy paint.

Package Solutions



- Preassembled GEAR+MOTOR™ packages are an in-house specialty.
- Performance matched LEESON motors available attached to any Grove Gear reducer.
- Thousands of speed and torque combinations available from stock.
- Save time and expense with no cost for the labor.
- Best variable speed products in the industry – from simple inverter duty and vector duty motors to PMAC and PMDC.

Custom Solutions



- Unmatched manufacturing facilities provide low cost solutions for your gearing needs.
- From inexpensive designs to elaborate transmissions, Grove Gear can solve the toughest transmission needs.
- From application review and design to manufacturing and testing, a quality-based partnership is assured with Grove Gear.

Driven to be the Best

A Team Dedicated to Customer Satisfaction

The entire GROVE GEAR team is committed to providing superior customer service and engineering support, exceptional design, manufacturing quality, competitive pricing and one of the best lead times in the industry. Our focus on quality, combined with our state-of-the-art machinery, software, quality assurance systems and testing equipment, has positioned us as a leading solutions provider in today's fast-paced industrial environment.



Product Support is Just a Click Away



www.grovegear.com

Download

- Catalogs
- Shaft-hand assembly change procedures
- Instruction and maintenance manuals
- 2-D and 3-D CAD drawings
- Parts lists

Visit the Grove Gear Online Product Configurator

- Search product by serial number or model number
- Select Grove Gear worm products by center distance, ratio, assembly or style
- View dimensions
- Download 2D and 3D CAD files
- Compare products to optimize selection
- Request a quote online

GROVE GEAR

1524 15th Avenue
Union Grove, Wisconsin 53182
PH: 262-878-1221
FAX: 262-878-1968

grovegear.com

© 2013 Regal-Beloit Corporation 7519G/7.5K/07-13/NP/TG

A Regal Brand



www.regalbeloit.com