

# PRODUCT INFORMATION PACKET



Model No:  
Catalog No: USQG1072A  
MODEL-PFHP-48FR  
Induction Motors



Regal and Century are trademarks of Regal Beloit Corporation or one of its affiliated companies.  
©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E





**Nameplate Specifications**

Output HP	<b>3/4 HP</b>	Output KW	<b>0.56 kW</b>
Frequency	<b>60 Hz</b>	Voltage	<b>230/115 V</b>
Current	<b>5.9/11.8 A</b>	Speed	<b>3450 RPM</b>
Service Factor	<b>1.27</b>	Phase	<b>1</b>
Duty	<b>Continuous</b>	Insulation Class	<b>B</b>
Frame	<b>48Y</b>	Enclosure	<b>Open Drip Proof</b>
Overload Protector	<b>Automatic</b>	Ambient Temperature	<b>50 °C</b>
UL	<b>Recognized</b>	CSA	<b>Y</b>

**Technical Specifications**

Electrical Type	<b>Cap Start Motor</b>	Poles	<b>2</b>
Rotation	<b>Counterclockwise Pump End</b>	Mounting	<b>Square Flange</b>
Motor Orientation	<b>Horizontal</b>	Drive End Bearing	<b>BALL</b>
Opp Drive End Bearing	<b>BALL</b>	Frame Material	<b>Rolled Steel</b>
Shaft Type	<b>Threaded</b>	Overall Length	<b>12.19 in</b>
Frame Length	<b>8.31 in</b>	Shaft Diameter	<b>0.625 in</b>
Shaft Extension	<b>0.906 in</b>		
Outline Drawing	<b>USQG1072A-S01</b>	Connection Diagram	<b>627103-006</b>

**This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/17/2019**

